



Work smarter with UL Product iQ™
Improved access to UL's certification data.

Create your FREE ACCOUNT today!

QMFZ2.E100553 Plastics - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

Plastics - Component

[See General Information for Plastics - Component](#)

ASTAR S A

E100553

Barrio Sangroniz 30
48150 Sondika, SPAIN

									H	D	
		Min.		H	H	R T I			V	4	C
		Thk	Flame	W	A	Elec	Mech		T	9	T
Material Dsg	Color	mm	Class	I	I		Imp	Str	R	5	I
Unsaturated Polyester (UP), Bulk Molding Compound (BMC).											
PX177	ALL	1.50 - 1.65	V-0, 5VA	0	0	105	130	130	-	-	0
PX3	NC, BK	1.5	HB	-	-	105	130	130	-	4	-
		3.0	HB	-	-	105	130	130			
PX4	ALL	3.0	V-0	0	0	130	130	130	4	4	0
Unsaturated Polyester (UP), Sheet Molding Compound (SMC).											
APG 10R(f2)	NC, GY	1.5	HB	-	-	105	130	130	0	4	0
	BK, GY	3.4	V-0	0	0	105	130	130			
		6.0	V-0	0	0	105	130	130			
H154 (f1)	ALL	3.0	V-0	0	0	105	130	130	-	-	0
		4.5	V-0, 5VA	0	-	105	130	130			
H156(f1)	ALL	2.0	V-0	0	-	105	130	130	-	-	0
		3.0	V-0, 5VA	0	-	105	130	130			
H161	ALL	1.5	HB	-	-	105	130	130	-	-	-
		2.5	HB	-	-	105	130	130			
		3.0	HB	-	-	105	130	130			
H161(f1)	ALL	2.5	HB	-	-	105	130	130	-	-	-

(f1) - Suitable for outdoor use with respect to exposure to Ultraviolet Light, Water Exposure and Immersion in accordance with UL 746C . Grade H154 for 3.0 mm thickness only..

(f2) - Subjected to one or more of the following tests: Ultraviolet Light, Water Exposure or Immersion in accordance with UL 746C, where the acceptability for outdoor use is to be determined by UL.

Marking: Company name and material designation on container, wrapper or finished part.

[Last Updated](#) on 2019-01-07

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".